MADISON Concealed two-way diverter - Brushed Durabrass (23kt Gold)

MADISON

36 200 361



- rotary diverter
- rosette Ø 60 mm
- NEUTRAL porcelain insert

	Brushed Durabrass (23kt Gold)	36 200 361-28
	Chrome	36 200 361-00
	Brushed Platinum	36 200 361-06
	Platinum	36 200 361-08
	Durabrass (23kt Gold)	36 200 361-09
	Brushed Dark Platinum	36 200 361-99

Required miscellaneous




Concealed two-way diverter - 35 202 970 90
- max. recess depth 155 mm
- min. recess depth 85 mm


MADISON Concealed two-way diverter - Brushed Durabrass (23kt Gold)

36 200 361

mm [inches]



Flow rate chart




Certificates

LGA_38379. WRAS_2307045.

DORN BRACHT

MADISON Concealed two-way diverter - Brushed Durabrass (23kt Gold)

36 200 361



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	90 90 03 304 10 90	diverter	1	2
2	09 23 10 125-00	nut	1	10
3	90 14 10 063 00 90	seal	1	2
4	09 27 36 105-28	rosette	1	60
5	90 30 30 075 00 90	screw	1	2
6	09 30 11 194 90	disc	1	2
7	09 18 30 007-28	sleeve	1	-
	Spare part can no longer be ordered, please order the replacement item			
8	90 28 10 030 00 90	ring	1	2
9	09 12 12 064-28	base	1	-
	Spare part can no longer be ordered, please order the replacement item			
10	90 14 15 021 00 90	ring	1	2
11	09 21 02 161-28	cover	1	20
12	04 20 36 100 02-28	handle	1	20
13	09 20 36 005-28	handle	1	20
14	09 26 01 016 90	accessories	1	2

We reserve the right to change designs, product range and technical specifications without prior notice.
More information can be found at: www.dornbracht.com +49 (0) 2371 8899 900 mail@dornbracht.com