TARA Concealed two-way diverter - Chrome

TARA

36 200 882 Product version from 4/1/2022



- rotary diverter
- rosette 60 mm
- WRAS

Chrome	36 200 882-00
Brushed Platinum	36 200 882-06
Platinum	36 200 882-08
Dark Chrome	36 200 882-19
Brushed Durabrass (23kt Gold)	36 200 882-28
Matte Black	36 200 882-33
Brushed Dark Brass	36 200 882-39
Brushed Bronze	36 200 882-42
Brushed Champagne (22kt Gold)	36 200 882-46
Champagne (22kt Gold)	36 200 882-47
Brushed Chrome	36 200 882-93
Brushed Dark Platinum	36 200 882-99

Required miscellaneous




Concealed two-way diverter - 35 202 970 90
- max. recess depth 160 mm
- min. recess depth 85 mm


TARA Concealed two-way diverter - Chrome

36 200 882 Product version from 4/1/2022

mm [inches]



Flow rate chart



Codes & Standards

DIN 4109	ISO 3822	Scottish Water Byelaws	UK Water Supply Regulations

Ü-Zeichen


36 200 882 Product version from 4/1/2022

Certificates and sustainability

LGA_38 WRAS_2307

TARA Concealed two-way diverter - Chrome

36 200 882 Product version from 4/1/2022



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
17	09 20 88 052-00	handle	1.00	10
11	09 21 02 144-00	sleeve	1.00	10
10	90 12 12 002 00 90	fixing cap	1.00	2
4	09 27 89 118-00	rosette	1.00	10
5	09 31 11 294 90	pin	1.00	2
8	09 29 06 022 90	spindle	1.00	2
7	09 24 05 002 90	nipple	1.00	2
3	90 21 02 181 00 90	disc	1.00	2
16	04 18 20 022 00-00	angle	1.00	10
1	90 90 03 304 10 90	diverter	1.00	2
12	04 20 88 052 10-00	handle	1.00	10
15	90 12 12 219 00-00	base	1.00	10
6	90 14 15 020 03 90	ring	1.00	2
14	90 30 11 029 00 90	disc	1.00	2
13	90 30 30 075 00 90	screw	1.00	2
2	90 23 30 023 00 90	nut	1.00	2
9	90 14 10 060 00 90	seal	1.00	2

We reserve the right to change designs, product range and technical specifications without prior notice.
More information can be found at: www.dornbracht.com +49 (0) 2371 8899 900 mail@dornbracht.com