DORN BRACHT

Concealed three-way diverter - Chrome

SERIES SPECIFIC

36 210 740 Product version from 4/1/2022



- rotary diverter
- without rosette
- handle Ø 60mm
- WRAS

Chrome	36 210 740-00
Brushed Platinum	36 210 740-06
Light Gold	36 210 740-26
Brushed Light Gold	36 210 740-27
Brushed Durabrass (23kt Gold)	36 210 740-28
Matte Black	36 210 740-33
Brushed Dark Brass	36 210 740-39
Brushed Bronze	36 210 740-42
Brushed Champagne (22kt Gold)	36 210 740-46
Champagne (22kt Gold)	36 210 740-47
Brushed Dark Platinum	36 210 740-99

Required miscellaneous




Concealed three-way diverter - 35 203 970 90
- max. recess depth 160 mm
- min. recess depth 85 mm

Concealed three-way diverter - Chrome


SERIES SPECIFIC

36 210 740 Product version from 4/1/2022

mm [inches]



Flow rate chart



Codes & Standards

DIN 4109	ISO 3822	Scottish Water Byelaws	UK Water Supply Regulations

Ü-Zeichen

Concealed three-way diverter - Chrome

SERIES SPECIFIC

36 210 740 Product version from 4/1/2022

Certificates and sustainability


LGA_38 WRAS_2307

DORN BRACHT

Concealed three-way diverter - Chrome

SERIES SPECIFIC

36 210 740 Product version from 4/1/2022



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
8	09 29 06 020-00	spindle	1.00	10
3	90 12 12 002 00 90	fixing cap	1.00	2
2	04 27 74 004 00-00	rosette	1.00	10
4	09 31 11 055 90	pin	1.00	2
5	09 27 74 004-00	rosette	1.00	10
6	04 29 06 020 00-00	spindle	1.00	10
12	90 90 03 303 10 90	diverter	1.00	2
11	09 30 01 107 90	sleeve	1.00	2
1	09 20 74 045-00	handle	1.00	60
9	90 14 15 020 03 90	ring	1.00	2
7	90 14 10 060 00 90	seal	1.00	2
10	90 23 30 023 00 90	nut	1.00	2

We reserve the right to change designs, product range and technical specifications without prior notice.
More information can be found at: www.dornbracht.com +49 (0) 2371 8899 900 mail@dornbracht.com