# VAIA Concealed three-way diverter - Brushed Durabrass (23kt Gold)

VAIA

36 210 809



- rotary diverter
- rosette Ø 60 mm

| | | |
|---|---|---|
| | Brushed Durabrass (23kt Gold) | 36 210 809-28 |
| | Chrome | 36 210 809-00 |
| | Brushed Platinum | 36 210 809-06 |
| | Dark Chrome | 36 210 809-19 |
| | Brushed Champagne (22kt Gold) | 36 210 809-46 |
| | Champagne (22kt Gold) | 36 210 809-47 |
| | Brushed Dark Platinum | 36 210 809-99 |

## Required miscellaneous




**Concealed three-way diverter -** 35 203 970 90
- max. recess depth 160 mm
- min. recess depth 85 mm

# VAIA Concealed three-way diverter - Brushed Durabrass (23kt Gold)


VAIA

36 210 809

mm [inches]




## Flow rate chart





## Certificates

LGA_38380. WRAS_2307045.

# VAIA Concealed three-way diverter - Brushed Durabrass (23kt Gold)



36 210 809




## Spare parts list

| No. | Item Number | Name | Quantity used | Delivery time |
|---|---|---|---|---|
| 1 | 90 90 03 303 10 90 | diverter | 1 | 2 |
| 2 | 90 23 30 023 00 90 | nut | 1 | 2 |
| 3 | 90 21 02 181 00 90 | disc | 1 | 2 |
| 4 | 09 27 89 117-28 | rosette | 1 | 60 |
| 5 | 09 31 11 294 90 | pin | 1 | 2 |
| 6 | 90 14 15 020 03 90 | ring | 1 | 2 |
| 7 | 09 24 05 002 90 | nipple | 1 | 2 |
| 8 | 09 29 06 022 90 | spindle | 1 | 2 |
| 9 | 90 14 10 060 00 90 | seal | 1 | 2 |
| 10 | 90 12 12 002 00 90 | fixing cap | 1 | 2 |
| 11 | 09 21 02 070-28 | cover | 1 | 20 |
| 12 | 90 20 80 014 01-28 | handle | 1 | 20 |

We reserve the right to change designs, product range and technical specifications without prior notice.
More information can be found at: www.dornbracht.com +49 (0) 2371 8899 900 mail@dornbracht.com