Concealed thermostat with two function volume control - Matte Black

IMO

36 426 670



- rotary diverter with volume control and shut-off function
- cover plate 150 x 90 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset
- WRAS 1906098

Fits: IMO, MEM, CL.1, CYO

Matte Black	36 426 670-33
Chrome	36 426 670-00
Brushed Platinum	36 426 670-06
Platinum	36 426 670-08
Dark Chrome	36 426 670-19
Brushed Durabrass (23kt Gold)	36 426 670-28
Brushed Champagne (22kt Gold)	36 426 670-46
Champagne (22kt Gold)	36 426 670-47
Brushed Chrome	36 426 670-93
Brushed Dark Platinum	36 426 670-99

Required miscellaneous



Concealed thermostat with built-in isolators - 35 426 970 90
- max. recess depth 136 mm
- min. recess depth 80 mm

Required miscellaneous



Concealed thermostat - 35 425 970 90
- max. recess depth 136 mm
- min. recess depth 80 mm

Recommended miscellaneous



xGRID Attachment set for integrating in the dry wall construction - 12 340 970 90

Required miscellaneous



xGRID Installation track 555 mm - 12 360 970 90


DORN BRACHT

Concealed thermostat with two function volume control - Matte Black


IMO

36 426 670

mm [inches]



Flow rate chart



Certificates

ACS_20 ACC LY 740. LGA_19385. ETA_20551. DVGW_DW-6512DN0119. LGA_19384.


WRAS_1906098.

DORN BRACHT

Concealed thermostat with two function volume control - Matte Black

IMO

36 426 670



DORN BRACHT

Concealed thermostat with two function volume control - Matte Black

IMO

36 426 670

Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	90 90 03 163 00 90	diverter	1	2
2	09 12 12 053-33	base	1	30
3	04 29 06 111 01-00	spindle	1	10
4	90 23 30 023 00 90	nut	2	2
5	90 12 12 002 00 90	fixing cap	1	2
6	09 20 67 006-33	handle	1	30
7	90 17 33 004 00-33	handle	1	30
8	90 21 33 011 00-13	handle	1	-
	Spare part can no longer be ordered, please order the replacement item			
9	90 16 02 027 00 90	spring	1	2
10	90 30 30 136 00 90	screw	1	2
11	90 31 20 049 00-13	plug	1	30
12	90 30 30 124 00 90	screw	1	2
13	90 12 12 052 00 90	base	1	2
14	09 12 12 054 90	base	1	2
15	09 28 10 187 90	regulator	1	2
16	04 29 06 024 01-00	spindle	1	10
17	09 12 12 051-33	base	1	30
18	09 31 11 134 90	pin	1	2
19	09 11 02 233-33	plate	1	30
20	09 30 30 157 90	screw	4	2
21	09 30 01 296 90	disc	1	2
22	90 30 01 190 00 90	disc	1	2
23	90 23 01 124 00 90	sleeve	2	2
24	90 18 40 077 01 90	spindle	2	2
25	09 24 04 257 90	nut	2	2
26	90 15 02 013 00 90	cartridge	1	2
27	09 28 10 188 90	regulator	1	2
28	09 28 10 189 90	regulator	1	2

We reserve the right to change designs, product range and technical specifications without prior notice.
More information can be found at: www.dornbracht.com +49 (0) 2371 8899 900 mail@dornbracht.com