
# Concealed thermostat with three function volume control - Brushed Durabrass (23kt Gold)

IMO

36 427 670



- rotary diverter with volume control and shut-off function
- cover plate 150 x 90 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset
- WRAS 1906098

Fits: IMO, MEM, CL.1, CYO


| | |
|---|---|
| Brushed Durabrass (23kt Gold) | 36 427 670-28 |
| Chrome | 36 427 670-00 |
| Brushed Platinum | 36 427 670-06 |
| Platinum | 36 427 670-08 |
| Dark Chrome | 36 427 670-19 |
| Matte Black | 36 427 670-33 |
| Brushed Champagne (22kt Gold) | 36 427 670-46 |
| Champagne (22kt Gold) | 36 427 670-47 |
| Brushed Chrome | 36 427 670-93 |
| Brushed Dark Platinum | 36 427 670-99 |

We reserve the right to change designs, product range and technical specifications without prior notice.
More information can be found at: www.dornbracht.com +49 (0) 2371 8899 900 mail@dornbracht.com


# Concealed thermostat with three function volume control - Brushed Durabrass (23kt Gold)

IMO

36 427 670
mm [inches]




## Flow rate chart




## Certificates

LGA_29330.

DVGW_DW-6512DN0119.

WRAS_1906098.


DORN BRACHT

# Concealed thermostat with three function volume control - Brushed Durabrass (23kt Gold)

IMO

36 427 670

Parts for other finishes can be found here: Chrome



DORN BRACHT

# Concealed thermostat with three function volume control - Brushed Durabrass (23kt Gold)

IMO

36 427 670

## Spare parts list

| No. | Item Number | Name | Quantity used | Delivery time |
|---|---|---|---|---|
| 1 | 90 90 03 170 00 90 | diverter | 1 | 2 |
| 2 | 09 12 12 053-28 | base | 1 | 20 |
| 3 | 04 29 06 111 01-00 | spindle | 1 | 10 |
| 4 | 90 23 30 023 00 90 | nut | 2 | 2 |
| 5 | 90 12 12 002 00 90 | fixing cap | 1 | 2 |
| 6 | 09 20 67 006-28 | handle | 1 | 20 |
| 7 | 90 17 33 004 00-28 | handle | 1 | 20 |
| 8 | 90 21 33 011 00-13 | handle | 1 | - |
| | Spare part can no longer be ordered, please order the replacement item | | | |
| 9 | 90 16 02 027 00 90 | spring | 1 | 2 |
| 10 | 90 30 30 136 00 90 | screw | 1 | 2 |
| 11 | 90 31 20 049 00-13 | plug | 1 | 30 |
| 12 | 90 30 30 124 00 90 | screw | 1 | 2 |
| 13 | 90 12 12 052 00 90 | base | 1 | 2 |
| 14 | 09 12 12 054 90 | base | 1 | 2 |
| 15 | 09 28 10 187 90 | regulator | 1 | 2 |
| 16 | 04 29 06 024 01-00 | spindle | 1 | 10 |
| 17 | 09 12 12 051-28 | base | 1 | 20 |
| 18 | 09 31 11 134 90 | pin | 1 | 2 |
| 19 | 09 11 02 322-28 | plate | 1 | 20 |
| 20 | 09 30 30 157 90 | screw | 4 | 2 |
| 21 | 09 30 01 296 90 | disc | 1 | 2 |
| 22 | 90 30 01 190 00 90 | disc | 1 | 2 |
| 23 | 90 23 01 124 00 90 | sleeve | 2 | 2 |
| 24 | 90 18 40 077 01 90 | spindle | 2 | 2 |
| 25 | 09 24 04 257 90 | nut | 2 | 2 |
| 26 | 90 15 02 013 00 90 | cartridge | 1 | 2 |
| 27 | 09 28 10 188 90 | regulator | 1 | 2 |
| 28 | 09 28 10 189 90 | regulator | 1 | 2 |

We reserve the right to change designs, product range and technical specifications without prior notice.
More information can be found at: www.dornbracht.com +49 (0) 2371 8899 900 mail@dornbracht.com