MADISON Concealed thermostat with three function volume control - Chrome

36 427 977 Product version from 3/13/2017 to 3/21/2019



- rotary diverter with volume control and shut-off function
- cover plate Ø 175 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset
- WRAS

Chrome	36 427 977-00
Brushed Platinum	36 427 977-06
Platinum	36 427 977-08
Durabrass (23kt Gold)	36 427 977-09
Brushed Durabrass (23kt Gold)	36 427 977-28
Brushed Dark Brass	36 427 977-39
Brushed Dark Platinum	36 427 977-99

Required miscellaneous



Concealed thermostat with built-in isolators - 35 428 970 90
- max. recess depth 136 mm
- min. recess depth 80 mm

Required miscellaneous



Concealed thermostat - 35 427 970 90
- max. recess depth 136 mm
- min. recess depth 80 mm

Recommended miscellaneous



xGRID Attachment set for integrating in the dry wall construction - 12 340 970 90

Required miscellaneous




xGRID Installation track 555 mm - 12 360 970 90


MADISON Concealed thermostat with three function volume control - Chrome

36 427 977 Product version from 3/13/2017 to 3/21/2019

mm [inches]



Flow rate chart



Codes & Standards

DIN 4109	EN 1111	ISO 3822	Scottish Water Byelaws
UK Water Supply Regulations	Ü-Zeichen		


36 427 977 Product version from 3/13/2017 to 3/21/2019

Certificates and sustainability

LGA_29	DVGW_DW-6512DN0	WRAS_250402

MADISON Concealed thermostat with three function volume control - Chrome

36 427 977 Product version from 3/13/2017 to 3/21/2019



DORN BRACHT

MADISON Concealed thermostat with three function volume control - Chrome

36 427 977 Product version from 3/13/2017 to 3/21/2019

Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
7	90 17 33 004 00-00	handle	1.00	60
1	90 90 03 168 00 90	diverter	1.00	60
15	09 28 10 143 90	regulator	1.00	60
28	09 28 10 151 90	regulator	1.00	60
21	09 30 01 188 90	disc	1.00	60
19	09 11 02 165-00	plate	1.00	60
14	09 12 12 054 90	base	1.00	2
18	09 31 11 134 90	pin	1.00	2
20	09 30 30 157 90	screw	4.00	2
17	09 12 12 051-00	base	1.00	10
27	09 28 10 150 90	regulator	1.00	60
26	90 15 02 012 00 90	cartridge	1.00	60
5	90 12 12 002 00 90	fixing cap	1.00	2
2	09 12 12 053-00	base	1.00	10
6	09 20 67 006-00	handle	1.00	10
25	09 24 04 257 90	nut	2.00	2
9	90 16 02 027 00 90	spring	1.00	2
22	90 30 01 190 00 90	disc	1.00	2
10	90 30 30 136 00 90	screw	1.00	2
13	90 12 12 052 00 90	base	1.00	2
3	04 29 06 111 01-00	spindle	1.00	10
12	90 30 30 124 00 90	screw	1.00	2
4	90 23 30 023 00 90	nut	2.00	2
23	90 23 01 124 00 90	sleeve	2.00	2
24	90 18 40 077 01 90	spindle	2.00	2
11	90 31 20 049 00-00	plug	1.00	10
16	04 29 06 024 01-00	spindle	1.00	10
8	90 21 33 011 00-13	handle	1.00	2

We reserve the right to change designs, product range and technical specifications without prior notice.
More information can be found at: www.dornbracht.com +49 (0) 2371 8899 900 mail@dornbracht.com