DORN BRACHT

MADISON xTOOL Concealed thermostat without volume control 3/4" - Chrome

MADISON

36 503 977 Product version up to 1/1/2022



- cover plate Ø 124 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- WRAS

Chrome	36 503 977-00
Brushed Platinum	36 503 977-06
Platinum	36 503 977-08
Durabrass (23kt Gold)	36 503 977-09
Brushed Durabrass (23kt Gold)	36 503 977-28
Brushed Dark Brass	36 503 977-39
Brushed Dark Platinum	36 503 977-99

Required miscellaneous



xTOOL Concealed thermostat module without volume control - 35 503 970 90
- max. recess depth 110 mm
- min. recess depth 85 mm

Recommended miscellaneous



xGRID Attachment set for integrating in the dry wall construction - 12 340 970 90

Required miscellaneous




xGRID Installation track 555 mm - 12 360 970 90

MADISON xTOOL Concealed thermostat without volume control 3/4" - Chrome


MADISON

36 503 977 Product version up to 1/1/2022

mm [inches]



Flow rate chart



Codes & Standards

DIN 4109	EN 1111	ISO 3822	Scottish Water Byelaws
UK Water Supply Regulations	Ü-Zeichen		

MADISON xTOOL Concealed thermostat without volume control 3/4" - Chrome

36 503 977 Product version up to 1/1/2022


Certificates and sustainability

WRAS_2011	DVGW_DW-6512DN0	LGA_29	LGA_29

DORN BRACHT

MADISON xTOOL Concealed thermostat without volume control 3/4" - Chrome

36 503 977 Product version up to 1/1/2022



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
4	09 31 11 048 90	pin	1.00	2
2	90 11 01 196 00 90	base	1.00	2
3	09 11 02 543-00	cover	1.00	10
6	90 21 02 112 00-00	sleeve	1.00	10
7	90 17 33 005 01-00	handle	1.00	10
5	90 14 10 049 00 90	seal	1.00	2
1	90 15 02 063 00 90	cartridge	1.00	2

We reserve the right to change designs, product range and technical specifications without prior notice.
More information can be found at: www.dornbracht.com +49 (0) 2371 8899 900 mail@dornbracht.com