DORN BRACHT

WATER FAN vertical Concealed body spray - Chrome

SERIES-VARIOUS

36 513 979 Product version from 4/1/2024



- AQUAPRESSURE FLOW, max. flow rate 10 l/min (at 3 bar)
- water jet adjustable

Technical data:

- cover plate 240 x 60 mm
- 1/2" connection

Notes:

Chrome	36 513 979-00
Brushed Platinum	36 513 979-06
Platinum	36 513 979-08
Dark Chrome	36 513 979-19
Light Gold	36 513 979-26
Brushed Light Gold	36 513 979-27
Brushed Durabrass (23kt Gold)	36 513 979-28
Matte Black	36 513 979-33
Brushed Dark Brass	36 513 979-39
Brushed Bronze	36 513 979-42
Brushed Champagne (22kt Gold)	36 513 979-46
Champagne (22kt Gold)	36 513 979-47
Brushed Chrome	36 513 979-93
Brushed Dark Platinum	36 513 979-99

Required miscellaneous



Concealed wall installation box - 35 206 970 90
- max. recess depth 173 mm
- min. recess depth 100 mm

Recommended miscellaneous



xGRID Attachment set for integrating in the dry wall construction - 12 340 970 90

Required miscellaneous




xGRID Installation track 555 mm - 12 360 970 90

WATER FAN vertical Concealed body spray - Chrome


SERIES-VARIOUS

36 513 979 Product version from 4/1/2024


mm [inches]



Flow rate chart



Trajectory diagram



Codes & Standards

DIN 4109	ISO 3822	Scottish Water Byelaws	UK Water Supply Regulations

Ü-Zeichen


Certificates and sustainability

LGA_29	WRAS_250602

WATER FAN vertical Concealed body spray - Chrome

SERIES-VARIOUS

36 513 979 Product version from 4/1/2024



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
6	09 16 01 014 90	ring	1.00	2
3	09 14 10 003 90	seal	1.00	2
5	09 23 01 134 90	flow reducer	1.00	2
1	90 27 99 002 00-00	insert	1.00	10
2	90 31 10 013 00 90	insert	1.00	2
4	09 24 05 015 90	nipple	1.00	2

We reserve the right to change designs, product range and technical specifications without prior notice.
More information can be found at: www.dornbracht.com +49 (0) 2371 8899 900 mail@dornbracht.com