
META Wall valve clockwise closing 1/2" - Chrome

META

36 607 661 Product version from 7/1/2023



- rosette Ø 60 mm
- head part with cut-to-length spindle and sleeve
- WRAS

Chrome	36 607 661-00
Brushed Platinum	36 607 661-06
Dark Chrome	36 607 661-19
Light Gold	36 607 661-26
Brushed Light Gold	36 607 661-27
Matte Black	36 607 661-33
Brushed Dark Brass	36 607 661-39
Brushed Bronze	36 607 661-42
Brushed Chrome	36 607 661-93
Brushed Dark Platinum	36 607 661-99

Required miscellaneous



Wall valve 1/2" - 35 607 970 90
- max. recess depth 145 mm
- min. recess depth 85 mm

Required miscellaneous




Wall valve 1/2" - 35 607 970 90
- max. recess depth 145 mm
- min. recess depth 85 mm

META Wall valve clockwise closing 1/2" - Chrome

36 607 661 Product version from 7/1/2023

mm [inches]



Codes & Standards


ASME A112.18.1	cUPC	DIN 4109	ISO 3822
Scottish Water Byelaws	UK Water Supply Regulations	Ü-Zeichen	

Certificates and sustainability

LGA_38	LGA_29	WRAS_2010	LGA_29	IAPMO_4976 (

META Wall valve clockwise closing 1/2" - Chrome

36 607 661 Product version from 7/1/2023



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	90 20 66 014 04-00	handle	1.00	10
3	90 90 03 143 00 90	top	1.00	2
2	90 21 02 181 00 90	disc	1.00	2

We reserve the right to change designs, product range and technical specifications without prior notice.
More information can be found at: www.dornbracht.com +49 (0) 2371 8899 900 mail@dornbracht.com