CL.1 Wall valve anti-clockwise closing hot 1/2" - Chrome

CL.1

36 607 707 Product version up to 10/14/2020



- rosette 60 x 60 mm
- with hot marking
- head part with cut-to-length spindle and sleeve
- WRAS

Chrome	36 607 707-00
Brushed Platinum	36 607 707-06
Dark Chrome	36 607 707-19
Brushed Champagne (22kt Gold)	36 607 707-46
Champagne (22kt Gold)	36 607 707-47
Brushed Dark Platinum	36 607 707-99

Required miscellaneous





Wall valve 1/2" - 35 607 970 90
- max. recess depth 150 mm
- min. recess depth 105 mm

CL.1 Wall valve anti-clockwise closing hot 1/2" - Chrome

36 607 707 Product version up to 10/14/2020

mm [inches]





Codes & Standards

ASME A112.18.1	cUPC	DIN 4109	EN 200
ISO 3822	Scottish Water Byelaws	UK Water Supply Regulations	Ü-Zeichen


Certificates and sustainability

DVGW_DW-6501DN0	LGA_29	WRAS_2010	LGA_29	IAPMO_4976 (

DORN BRACHT

CL.1 Wall valve anti-clockwise closing hot 1/2" - Chrome

36 607 707 Product version up to 10/14/2020



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	90 20 70 051 03-00	handle (hot)	1.00	10
2	90 21 02 108 00 90	disc	1.00	2
3	90 90 03 142 00 90	top	1.00	2

We reserve the right to change designs, product range and technical specifications without prior notice.
More information can be found at: www.dornbracht.com +49 (0) 2371 8899 900 mail@dornbracht.com