LULU Wall valve clockwise closing 1/2" - Chrome

LULU

36 607 710



- rosette 78 x 55 mm
- head part with cut-to-length spindle and sleeve
- WRAS

Chrome	36 607 710-00
Brushed Platinum	36 607 710-06

Required miscellaneous



Wall valve 1/2" - 35 607 970 90
- max. recess depth 145 mm
- min. recess depth 75 mm


DORN BRACHT

LULU Wall valve clockwise closing 1/2" - Chrome

LULU

36 607 710

mm [inches]



Codes & Standards


ASME A112.18.1	cUPC	DIN 4109	EN 1111
EN 200	ISO 3822	Scottish Water Byelaws	UK Water Supply Regulations
Ü-Zeichen			

Certificates and sustainability

DVGW_DW-6501DN0	WRAS_2011	LGA_29	WRAS_2010	DVGW_DW-6512DN0
LGA_29	IAPMO_4976 (			

LULU Wall valve clockwise closing 1/2" - Chrome

36 607 710



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
2	09 27 71 029-00	rosette	1.00	10
6	09 21 02 070-00	cover	1.00	10
1	90 90 03 143 00 90	top	1.00	2
5	09 16 01 025 90	ring	1.00	2
7	09 20 97 030-00	handle	1.00	10
3	90 31 11 007 00 90	pin	1.00	2
8	90 30 09 010 00 90	key	1.00	2
4	90 14 10 063 00 90	seal	1.00	2

We reserve the right to change designs, product range and technical specifications without prior notice.
More information can be found at: www.dornbracht.com +49 (0) 2371 8899 900 mail@dornbracht.com