DORN BRACHT

Wall valve anti-clockwise closing hot 1/2" - Chrome

SERIES SPECIFIC

36 607 742 Product version from 7/1/2023



- without rosette
- handle Ø 60mm
- with hot marking
- head part with cut-to-length spindle and sleeve
- WRAS

Chrome	36 607 742-00
Brushed Platinum	36 607 742-06
Dark Chrome	36 607 742-19
Brushed Durabrass (23kt Gold)	36 607 742-28
Matte Black	36 607 742-33
Brushed Bronze	36 607 742-42
Brushed Champagne (22kt Gold)	36 607 742-46
Champagne (22kt Gold)	36 607 742-47
Brushed Dark Platinum	36 607 742-99

Required miscellaneous



Wall valve 1/2" - 35 607 970 90
- max. recess depth 145 mm
- min. recess depth 85 mm


DORN BRACHT

Wall valve anti-clockwise closing hot 1/2" - Chrome

SERIES SPECIFIC

36 607 742 Product version from 7/1/2023

mm [inches]



Codes & Standards

ASME A112.18.1	cUPC	DIN 4109	EN 200
ISO 3822	Scottish Water Byelaws	UK Water Supply Regulations	Ü-Zeichen

Certificates and sustainability


DVGW_DW-6501DN0	LGA_38	LGA_29	WRAS_2010	LGA_29
IAPMO_4976 (				

DORN BRACHT

Wall valve anti-clockwise closing hot 1/2" - Chrome

SERIES SPECIFIC

36 607 742 Product version from 7/1/2023



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
11	09 30 01 107 90	sleeve	1.00	2
4	09 31 11 055 90	pin	1.00	2
8	09 29 06 020-00	spindle	1.00	10
12	90 90 03 142 00 90	top	1.00	2
2	04 27 74 004 00-00	rosette	1.00	10
1	09 20 74 021-00	handle (hot)	1.00	10
6	04 29 06 020 00-00	spindle	1.00	10
3	90 12 12 002 00 90	fixing cap	1.00	2
5	09 27 74 004-00	rosette	1.00	10
10	90 23 30 023 00 90	nut	1.00	2
9	90 14 15 020 03 90	ring	1.00	2
7	90 14 10 060 00 90	seal	1.00	2

We reserve the right to change designs, product range and technical specifications without prior notice.
More information can be found at: www.dornbracht.com +49 (0) 2371 8899 900 mail@dornbracht.com