MEM Wall valve clockwise closing 1/2" - Chrome

MEM

36 607 782 Product version up to 10/14/2020



- rosette 60 x 60 mm
- head part with cut-to-length spindle and sleeve
- WRAS

Chrome	36 607 782-00
Brushed Platinum	36 607 782-06
Platinum	36 607 782-08
Dark Chrome	36 607 782-19
Brushed Durabrass (23kt Gold)	36 607 782-28
Brushed Dark Brass	36 607 782-39
Brushed Champagne (22kt Gold)	36 607 782-46
Champagne (22kt Gold)	36 607 782-47
Brushed Chrome	36 607 782-93
Brushed Dark Platinum	36 607 782-99

Required miscellaneous



Wall valve 1/2" - 35 607 970 90
- max. recess depth 150 mm
- min. recess depth 105 mm

MEM Wall valve clockwise closing 1/2" - Chrome

MEM

36 607 782 Product version up to 10/14/2020

mm [inches]



Codes & Standards


ASME A112.18.1	cUPC	DIN 4109	EN 1111
EN 200	ISO 3822	Scottish Water Byelaws	UK Water Supply Regulations
Ü-Zeichen			

Certificates and sustainability

DVGW_DW-6501DN0	WRAS_2011	LGA_29	WRAS_2010	DVGW_DW-6512DN0
LGA_29	IAPMO_4976 (			

MEM Wall valve clockwise closing 1/2" - Chrome

36 607 782 Product version up to 10/14/2020



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
3	90 20 78 002 02-00	handle	1.00	2
1	90 90 03 143 00 90	top	1.00	2
2	90 21 02 108 00 90	disc	1.00	2
4	90 20 78 002 01-00	handle	1.00	10

We reserve the right to change designs, product range and technical specifications without prior notice.
More information can be found at: www.dornbracht.com +49 (0) 2371 8899 900 mail@dornbracht.com