
CL.1 Wall-mounted single-lever basin mixer without pop-up waste - Brushed Dark Platinum

CL.1

36 860 705



- 198mm projection
- fixed spout
- rectangular spray pattern with 40 individual jets
- hole diameter spout 37 mm
- hole diameter single-lever mixer 57 mm
- rosette 80 x 80 mm
- max. flow 4.5 l/min
- lead-free
- This product can help a building to meet requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Brushed Dark Platinum	36 860 705-99
Chrome	36 860 705-00
Brushed Platinum	36 860 705-06
Dark Chrome	36 860 705-19
Brushed Champagne (22kt Gold)	36 860 705-46
Champagne (22kt Gold)	36 860 705-47

Required miscellaneous



Concealed wall-mounted single-lever mixer mixer on right - 35 816 970 90
●NOTE:Not suitable for concealed installation.Connection by means of angle valves, mounted with screws to back wall.


Required miscellaneous




Concealed wall-mounted single-lever mixer - 35 860 970 90
●max. recess depth 95 mm
●min. recess depth 80 mm

CL.1 Wall-mounted single-lever basin mixer without pop-up waste - Brushed Dark Platinum

36 860 705
mm [inches]



Flow rate chart




Certificates

IAPMO_N-4976 (2). DVGW_DW-6512DN0435. IAPMO_8834 (2). IAPMO_6397 (2). IAPMO_4976 (1).

LGA_29900.

CL.1 Wall-mounted single-lever basin mixer without pop-up waste - Brushed Dark Platinum

36 860 705



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	13 800 705-99	CL.1 Wall-mounted basin spout without pop-up waste - Brushed Dark Platinum	1	50
2	09 20 70 050-99	handle	1	50
3	90 31 11 030 00 90	pin	1	2
4	90 31 20 087 00-99	plug	1	50
5	09 11 02 288-99	cover	1	50
6	09 27 78 039-99	rosette	1	50
7	90 14 10 049 00 90	seal	1	2
8	90 15 05 064 01 90	cartridge	1	2
9	90 30 09 064 00 90	key	1	2

We reserve the right to change designs, product range and technical specifications without prior notice.
More information can be found at: www.dornbracht.com +49 (0) 2371 8899 900 mail@dornbracht.com