LISSÉ Wall-mounted single-lever basin mixer without pop-up waste - Matte Black

36 860 845



- 170mm projection
- fixed spout
- circular, air-enriched flow
- hole diameter spout 37 mm
- hole diameter single-lever mixer 57 mm
- rosette 78 x 78 mm
- max. flow 5.7 l/min
- lead-free
- This product can help a building to meet requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Matte Black	36 860 845-33
Chrome	36 860 845-00
Brushed Platinum	36 860 845-06
Dark Chrome	36 860 845-19
Brushed Chrome	36 860 845-93

Required miscellaneous



Concealed wall-mounted single-lever mixer mixer on right - 35 816 970 90
●NOTE:Not suitable for concealed installation.Connection by means of angle valves, mounted with screws to back wall.


Required miscellaneous




Concealed wall-mounted single-lever mixer - 35 860 970 90
●max. recess depth 95 mm
●min. recess depth 75 mm

LISSÉ Wall-mounted single-lever basin mixer without pop-up waste - Matte Black

36 860 845
mm [inches]



Flow rate chart




Certificates

IAPMO_N-4976 (2). DVGW_DW-6512DN0435. IAPMO_8834 (2). IAPMO_6397 (2). WRAS_2107018.

DORN BRACHT

LISSÉ Wall-mounted single-lever basin mixer without pop-up waste - Matte Black

36 860 845



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	09 24 03 072 10 90	nipple	1	2
2	90 24 03 108 00 90	nipple set	1	2
3	90 31 11 004 00 90	pin	1	2
4	90 11 84 021 00-33	spout	1	30
5	90 31 20 087 00-33	plug	1	30
6	90 31 11 063 00 90	pin	1	2
7	09 20 84 021-33	handle	1	30
8	09 11 02 288-33	cover	1	30
9	09 27 84 020-33	rosette	1	60
10	90 14 10 049 00 90	seal	1	2
11	90 15 05 064 01 90	cartridge	1	2
12	90 30 09 064 00 90	key	1	2

We reserve the right to change designs, product range and technical specifications without prior notice.
More information can be found at: www.dornbracht.com +49 (0) 2371 8899 900 mail@dornbracht.com