MEM Wall-mounted single-lever basin mixer without pop-up waste - Dark Chrome

MEM

36 861 782



- 207mm projection
- fixed spout
- rectangular, air-enriched flow
- hole diameter spout 37 mm
- hole diameter single-lever mixer 57 mm
- rosette for spout 80 x 60mm
- rosette for mixer 80 x 80mm
- max. flow 5.7 l/min
- lead-free
- This product can help a building to meet requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Dark Chrome	36 861 782-19
Chrome	36 861 782-00
Brushed Platinum	36 861 782-06
Platinum	36 861 782-08
Brushed Durabrass (23kt Gold)	36 861 782-28
Brushed Champagne (22kt Gold)	36 861 782-46
Champagne (22kt Gold)	36 861 782-47
Brushed Dark Platinum	36 861 782-99

Required miscellaneous



Concealed wall-mounted single-lever mixer mixer on right - 35 816 970 90
●NOTE:Not suitable for concealed installation.Connection by means of angle valves, mounted with screws to back wall.

Required miscellaneous




Concealed wall-mounted single-lever mixer - 35 860 970 90
●NOTE:Not suitable for concealed installation.Connection by means of angle valves, mounted with screws to back wall.


MEM Wall-mounted single-lever basin mixer without pop-up waste - Dark Chrome

MEM

36 861 782
mm [inches]



Flow rate chart



Certificates

DVGW_DW-6512DN0435.

WRAS_2107018.

MEM Wall-mounted single-lever basin mixer without pop-up waste - Dark Chrome

36 861 782

