META Wall-mounted single-lever basin mixer with individual rosettes - Matte Black

META

36 862 660



- 90° spout
- 190mm projection
- fixed spout
- circular, air-enriched flow
- hole diameter spout 37 mm
- hole diameter single-lever mixer 57 mm
- rosette for spout Ø 55mm
- rosette for mixer Ø 78mm
- max. flow 5.7 l/min
- lead-free
- This product can help a building to meet requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Matte Black	36 862 660-33
Chrome	36 862 660-00
Brushed Platinum	36 862 660-06
Dark Chrome	36 862 660-19
Brushed Champagne (22kt Gold)	36 862 660-46
Champagne (22kt Gold)	36 862 660-47
Brushed Chrome	36 862 660-93

Required miscellaneous



Concealed wall-mounted single-lever mixer mixer on right - 35 816 970 90
●NOTE:Not suitable for concealed installation.Connection by means of angle valves, mounted with screws to back wall.

Required miscellaneous



Concealed wall-mounted single-lever mixer - 35 860 970 90
●min. recess depth 80 mm
●max. recess depth 95 mm

Required miscellaneous




Concealed wall-mounted single-lever mixer - 35 860 970 90
●max. recess depth 95 mm
●min. recess depth 80 mm


META Wall-mounted single-lever basin mixer with individual rosettes - Matte Black

36 862 660

mm [inches]



Flow rate chart




Certificates

WRAS_2107018. LGA_29904.

META Wall-mounted single-lever basin mixer with individual rosettes - Matte Black

36 862 660



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	09 24 03 072 10 90	nipple	1	2
2	90 24 03 280 00 90	nipple	1	2
3	09 31 11 112 90	pin	1	60
4	90 28 22 351 00-33	spout	1	30
5	90 20 66 007 00-33	handle	1	30
6	09 11 02 288-33	cover	1	30
7	90 27 62 011 00-33	rosette	1	30
8	90 15 05 064 01 90	cartridge	1	2
9	90 30 09 064 00 90	key	1	2

We reserve the right to change designs, product range and technical specifications without prior notice.
More information can be found at: www.dornbracht.com +49 (0) 2371 8899 900 mail@dornbracht.com