DORN BRACHT

# MEM Washstand fitting with electronic opening and closing function without pop-up waste - Brushed Dark Platinum

MEM

44 521 782




- 165mm projection
- Infrared sensor technology
- height of mixer 313 mm
- height up to aerator 206 mm
- hole diameter 35 mm
- fixed spout
- max. flow 5.7 l/min
- rectangular, air-enriched flow
- suitable for thermal disinfection
- Automatic shut-off after pre-set time is reached
- Indirect temperature control (undercounter)
- Control box included
- Adjustable sensor detection range
- Battery or plug-in power supply operated (batteries not included)
- 4x AA (1.5V) batteries required
- lead-free
- 1x screw-in M 8 x 1 pressure hose, leak-tested
- This product can help a building to meet requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Batteries not included


| | |
|---|---|
| Brushed Dark Platinum | 44 521 782-99 |
| Chrome | 44 521 782-00 |
| Brushed Platinum | 44 521 782-06 |
| Platinum | 44 521 782-08 |
| Dark Chrome | 44 521 782-19 |
| Brushed Durabrass (23kt Gold) | 44 521 782-28 |
| Matte Black | 44 521 782-33 |
| Champagne (22kt Gold) | 44 521 782-47 |
| Brushed Chrome | 44 521 782-93 |

# MEM Washstand fitting with electronic opening and closing function without pop-up waste - Brushed Dark Platinum

MEM




## Flow rate chart




## Certificates

Belgaqua_23-210-27_1.

LGA_38246.

WRAS_2211011.


DORN BRACHT

# MEM Washstand fitting with electronic opening and closing function without pop-up waste - Brushed Dark Platinum



44 521 782

Parts for other finishes can be found here: Chrome




## Spare parts list

| No. | Item Number | Name | Quantity used | Delivery time |
|---|---|---|---|---|
| 1 | 90 28 22 373 00-99 | spout | 1 | 45 |
| 2 | 09 14 10 132 90 | seal | 1 | 2 |
| 3 | 09 31 20 027 10-00 | plug | 1 | 10 |
| 4 | 04 30 04 100 00 90 | hose | 2 | 2 |
| 5 | 04 23 10 044 08 90 | fixing set | 1 | 2 |
| 6 | 12 506 970 90 | High pressure hoses - | 1 | 2 |
| 7 | 09 24 03 185-00 | nipple | 1 | 10 |
| 8 | 90 30 50 081 00 90 | valve | 1 | 2 |
| 9 | 90 10 01 247 00 90 | valve box | 1 | 60 |

We reserve the right to change designs, product range and technical specifications without prior notice.
More information can be found at: www.dornbracht.com +49 (0) 2371 8899 900 mail@dornbracht.com