LAUFEN

REF: H9201150000001



INEO

INEOLINK concealed cistern for wall-hung WC and shower WC

KEY FEATURES

• Pre-assembled LAUFEN INEOLINK installation element for wall-hung WC and shower WC. It is improved for a most easy and rapid single-person installation in dry-wall and pre-wall situations

• With a height adjustability system with friction-braked legs (0...200 mm) and with tool free depth-adjustment (135...205 mm)

• Feet can be rotated to fit common UW50 and UW75 profiles, as well as the LAUFEN INEOGRID system. It has tool-free fastening and cable connections for flush plates

• The dual flush is preset to 6l/4.5l and can be adjusted down to 4l/2l. Flushing performance can be adjusted on the fly, without disassembly of the flush valve, to avoid over-splashing. All internal components can be replaced and maintained without the use of tools either

• INEOLINK are designed for perfect compatibility with the wide range of LAUFEN INEO Flush Plates and LAUFEN ceramic products including toilets, urinals, washbasins, and bidets

© Copyright 2026, LAUFEN Bathrooms AG | https://www.laufen.com/products/ineolink-concealed-cistern-wall-hung-wc-shower-wc-H9201150000001?sku=H9201150000001

SPECIFICATION TEXT

Pre-assembled installation element, suitable for wall-hung WC and shower WC in pre-wall and studded wall installations
Foot stanchions adjustable (+200mm) with friction brake
Foot plates rotatable, suiting UA50, UA75 and INEOGRID dry-wall building systems, as well as direct-to floor fixation
Wall fixation adjustable tool-free (135...205mm)
Concealed cistern with top water inlet
Insulated against condensation
Fill valve, noise class 1
Adjustable dual flush valve with two-cable activation technology
Adjustable flow reducer (l/sec) against over-splashing
Connection funnel and tubing for a shower toilet hose
Multi-purpose connection box behind the WC

IMPORTANT NOTICE:
H920115 LAUFEN INEOLINK for drywall construction. For the installation in metal and wooden studded walls, or in front of solid walls. Pre-wall installation requires a wall thickness of minimum 80 mm. Maximum load 400kg

MOUNTING ACCESSORIES INCLUDED

Angle/ stop valve ½", brass
Revision and connection box for the flush plate and WC
WC connection set DN90
Drain elbow DN90 and adapter DN110 HDPE
2x M12 bolt with sleeve for WC
Tool free adjustable wall fixation
Set of screws and dowels for wall and floor fixation
Connection funnel and tubing for a shower toilet hose
Basket for fresh stone

MOUNTING ACCESSORIES EXCLUDED

LAUFEN INEO Flush Plate with two-cable activation
LAUFEN INEO Flush Plate with sensor-motor activation
Optional:
Sound absorber pads VS16032C000000 (to fulfil SIA 181 and others)
Spare parts and many more accessories available


Average water consumption (L.) : 3.75
Dynamic pressure range : 0,5 - 10 Bar
Elbow connection : DN90 (110 mm)
Flushing volume preset : Dual flush 3/6 litres
Height Adjustable : 0 – 200 mm


Material : Plastic, Steel powder coated, Steel zinc plated
Maximum Temperature (°C) : 25
Minimum fixation depth (mm) : 135
Net weight (kg) : 13.65
Operating panel position : Frontal

Suitable for : Wall-hung WC
WC Fixation : 180 mm, 230 mm
Wall Fixation Adjustable : 135 – 205 mm
Water inlet position : Top

© Copyright 2026, LAUFEN Bathrooms AG | https://www.laufen.com/products/ineolink-concealed-cistern-wall-hung-wc-shower-wc-H9201150000001?sku=H9201150000001

TECHNICAL DRAWINGS







Adjustable flushing volume

Adjustable flushing volume: Dual flush 4/2 litres



Adjustable flushing volume

Adjustable flushing volume: Dual flush 6/3 litres



Adjustable flushing volume

Adjustable flushing volume: Dual flush 3/4,5 litres

© Copyright 2026, LAUFEN Bathrooms AG | https://www.laufen.com/products/ineolink-concealed-cistern-wall-hung-wc-shower-wc-H9201150000001?sku=H9201150000001

water_label_text



© Copyright 2026, LAUFEN Bathrooms AG | https://www.laufen.com/products/ineolink-concealed-cistern-wall-hung-wc-shower-wc-H9201150000001?sku=H9201150000001

COMPATIBLE WITH



Wall-hung WC 'rimless', washdown, without flushing rim

H820971...0001



Wall-hung WC 'rimless', washdown, without flushing rim

H820337...0001



Wall-hung WC 'rimless', washdown

H820966...0001



Wall-hung WC, washdown, rimless

H820080...0001



Shower toilet, wall-hung, washdown, without flushing rim, incl. WC seat and cover, removable, with lowering system incl. remote control with touch screen

H820691...0001



Shower toilet, wall-hung, washdown, rimless, incl. seat and cover with automatic opening and lowering system, heated seat, remote control, Wi-Fi, dryer, UV disinfection and ambient light, with plug for EU



Shower toilet, floorstanding, washdown, rimless, automatic pre/full flushing, incl. hygienic flush function, seat and cover with automatic opening and lowering system, heated seat, remote control, Wi-Fi &

Flush Plate INEO HORIZON, Dual Flush

H900111...0001



Flush Plate INEO SUNRISE, Dual Flush

H900112...0001



Flush Plate INEO AIR, Dual Flush

H900113...0001



Flush Plate INEO MOON, Dual Flush

H900114...0001



Flush Plate INEO MOONDANCE, Dual Flush

H900116...0001

© Copyright 2026, LAUFEN Bathrooms AG | https://www.laufen.com/products/ineolink-concealed-cistern-wall-hung-wc-shower-wc-H9201150000001?sku=H9201150000001



Flush Plate INEO GROOVE, Dual Flush

H900117...0001



Flush Plate INEO SKYLINE, Dual Flush

H900118...0001



Flush Plate INEO CITY, Stainless Steel, Dual Flush

H900120...0001



Wall-hung WC 'liberty', washdown, rimless, barrier-free


H821960...0001



Shower toilet, wall-hung, rimless, incl. seat and cover with lowering system, washing, drying function, heated seat, remote control, Wi-Fi & APP, UV disinfection and ambient light



Shower toilet, wall-hung (& easy-fit 3.0), silent flush, rimless, incl. seat and cover with lowering system, washing, drying function, heated seat, remote control, Wi-Fi & APP, UV disinfection and ambient light



© Copyright 2026, LAUFEN Bathrooms AG | https://www.laufen.com/products/ineolink-concealed-cistern-wall-hung-wc-shower-wc-H9201150000001?sku=H9201150000001



INEO

INEO, a proven and well established installation system “made in Germany”, puts LAUFEN’s premium quality and convenience behind the wall too. The system with its prefabricated parts offers clever solutions for fast and uncomplicated installation for new construction or refurbishment.

© Copyright 2026, LAUFEN Bathrooms AG | https://www.laufen.com/products/ineolink-concealed-cistern-wall-hung-wc-shower-wc-H9201150000001?sku=H9201150000001