LAUFEN

REF: H9401020000001



INEO

INEOLINK concealed frame for urinals with integrated flush or waterless

KEY FEATURES

• Pre-assembled LAUFEN INEOLINK installation element for wall-hung bidets. It is improved for a most easy and rapid single-person installation in dry-wall and pre-wall situations

• With a height adjustability system with friction-braked legs (0...200 mm) and with tool free depth-adjustment (135...205 mm). Foot can be rotated to fit common UW50 and UW75 profiles, as well as the LAUFEN INEOGRID system.

• INEOLINK are designed for perfect compatibility with the wide range of LAUFEN INEO Flush Plates and LAUFEN ceramic products including toilets, urinals, washbasins and bidets

SPECIFICATION TEXT

Pre-assembled installation element, suitable for wall-hung urinal in pre-wall and studded wall installations
Foot stanchions adjustable (+200mm) with friction brake
Foot plates rotatable, suiting UA50, UA75 and INEOGRID dry-wall building systems, as well as direct-to floor fixation
Wall fixation adjustable tool-free (135...205mm)

IMPORTANT NOTICE:
H940102 LAUFEN INEOLINK for drywall construction. For the installation in metal and wooden studded walls, or in front of solid walls. Pre-wall installation requires a wall thickness of 80 mm.Maximum load 100kg

MOUNTING ACCESSORIES INCLUDED

All accessories included

MOUNTING ACCESSORIES EXCLUDED

Sound absorber pads VS16032C000000 (to fulfil SIA 181 and others)
90mm...140 wall fixations are available VS05433C000000
Spare parts and many more accessories available

© Copyright 2026, LAUFEN Bathrooms AG | https://www.laufen.com/products/ineolink-concealed-frame-urinals-integrated-flush-waterless-H9401020000001?sku=H9401020000001

Height Adjustable : 0 – 200 mm


Material : Plastic, Steel powder coated, Steel zinc plated

Net weight (kg) : 7.58

Suitable for : Urinal

Wall Fixation Adjustable : 135 – 205 mm

TECHNICAL DRAWINGS



© Copyright 2026, LAUFEN Bathrooms AG | https://www.laufen.com/products/ineolink-concealed-frame-urinals-integrated-flush-waterless-H9401020000001?sku=H9401020000001

COMPATIBLE WITH



Waterless urinal

H843197...4011




Siphonic urinal, internal water inlet, with electronic control, mains operated (230V)

H840103...0001



Siphonic urinal, internal water inlet, with electronic control, battery operated (6V)

H840104...0001



© Copyright 2026, LAUFEN Bathrooms AG | https://www.laufen.com/products/ineolink-concealed-frame-urinals-integrated-flush-waterless-H9401020000001?sku=H9401020000001



INEO

INEO, a proven and well established installation system “made in Germany”, puts LAUFEN’s premium quality and convenience behind the wall too. The system with its prefabricated parts offers clever solutions for fast and uncomplicated installation for new construction or refurbishment.

© Copyright 2026, LAUFEN Bathrooms AG | https://www.laufen.com/products/ineolink-concealed-frame-urinals-integrated-flush-waterless-H9401020000001?sku=H9401020000001